

### ONE TOUCH TYPE

STYLISH WATER BOTTLE FOR TEENS. STAY HYDRATED WHETHER AT SCHOOL OR FIELD TRIP.

### NEW











AMI-F50




HOT

■ 〈AV〉 Purple 4971860034749 ■ 〈B〉 Black 4971860034756



4.4cm diameter mouth wide. Ice cubes can be Detachable stopper, easy to clean thoroughly.



Easy to carry with

Easy to open lid with one touch open design. Safety lock prevents water leaking.



### **CUP TYPE**

CUTE CHILDREN'S WATER BOTTLE WITH AN EASY-TO-GRIP HANDLE FOR SMOOTH POURING.







With shoulder belt



STAINLESS STEEL BOTTLE (KIDS · TODDLER)











Write down the name on the attached label and put it on the cup.

Easy to pour water with handle design.

Anti-shock bottom

## 2-WAY TYPE (CUP & STRAW) STEP UP BOTTLE SET

TWO-WAY DESIGNED BOTTLE FOR TODDLERS AND KIDS! SUPPORTS THEIR GROWTH AND INDEPENDENCE.







WITH INNER STOPPER

HOT

**CUP TYPE** 

WITH

■ 〈CRD〉 Coral Dot 4971860033728 ■ 〈AKD〉 Navy Dot 4971860033711







Install the inner stopper and enjoy water with the detachable inner stopper.

STRAW TYPE



Install the stopper unit and drink water with straw.

| Product                      | One Touch Mug Type | Cup Type       | 2 Way Type (Cup & Straw)   |
|------------------------------|--------------------|----------------|--|
| Model No.                    | AMI-F50            | ASK-R50        | ASK-W40  |
| Capacity (L)                 | 0.5                | 0.45           | 0.36 (With inner stopper ) 0.4 (With stopper unit )                  |
| Hot Retention (6 hrs)        | 66°C/150°F         | 71°C/160°F     | 68°C/154°F ( With inner stopper )                                    |
| Hot Retention (1 hr)         | 87°C/188°F         | _              | _  |
| Cold Retention (6 hrs)       | 9℃/48°F            | 9℃/48°F        | 10℃/50°F   |
| Mouth Diameter (mm)          | 4.4                | 4.2            | 4.2  |
| Product Size/ W x D x H (mm) | 6.4×7.5×23.6 ※1    | 11.7×8.6×17.6  | 11.7×8.6×15.3( With inner stopper 11.7×8.6×16.5( With stopper unit ) |
| Product W.t. (kg)            | 0.29 %2            | 0.32           | 0.37   |
| Case Size/ W x D x H (mm)    | 7.2×7.3×24.7       | 10.3×10.0×18.8 | 10.3×10.0×23.2   |
| Case W.t. (kg)               | 0.35               | 0.39           | 0.47   |
| PCS / CTN                    | 12                 | 12             | 12   |

STAINLESS BOTTLE STAINLESS BOTTLE 34 FOOD JAR · LUNCH JAR



### STAINLESS FOOD JAR

COMPACT SIZED INSULATED FOOD JAR FOR A PORTABLE HEALTHY MEAL.



LKD-30









Easy to clean with the detachable lid.

■ ⟨CA⟩ Sand Beige 4971860033827 ■ ⟨Y⟩ Citron Yellow 4971860033810



| Product                      | Stainless Food Jar |
|------------------------------|--------------------|
| Model No.                    | LKD-30             |
| Capacity (L)                 | 0.3                |
| Hot Retention (6 hrs)        | 55°C/131°F         |
| Hot Retention (1 hr)         | 83°C/181°F         |
| Cold Retention (6 hrs)       | 12°C/53°F          |
| Mouth Diameter (cm)          | 6.0                |
| Product Size/ W x D x H (cm) | 8.7×8.7×10.7       |
| Product W.t. (kg)            | 0.24               |
| Case Size/ W x D x H (cm)    | 9.0×9.0×11.8       |
| Case W.t. (kg)               | 0.28               |
| PCS / CTN                    | 12                 |

## STAINLESS LUNCH JAR

ALL-IN-ONE LUNCH JAR SET. PERFECT SIZE FOR TAKING RICE, SIDE DISHES, FRUITS AND MORE ON THE GO.



MICROWAVE SAFE! Put rice in this jar 1.1 Cup of Rice

Put rice in the double-walled thermal casing 1.6 Cup of Rice Capacity: 0.33L

AL-E60

■ 〈A〉Indigo 4971860032738

MICROWAVE OVEN SAFE JAR, SIDE DISH(EXCEPT LID)

WITH LUNCH BAG

| Product                      | Stainless Lunch Jar  |
|------------------------------|--|
| Model No.                    | AL-E60   |
| Capacity (L)                 | Jar /0.23<br>Thermal casing /0.33<br>Side dish /0.19×2       |
| Hot Retention (6 hrs)        | (Without lunch bag) 48℃/118°F<br>(With lunch bag) 51°C/123°F |
| Product Size/ W x D x H (cm) | 17.5×9.9×10.9 ※1   |
| Product W.t. (kg)            | 0.49 %2  |
| Case Size/ W x D x H (cm)    | 24.3×11.4×14.3   |
| Case W.t. (kg)               | 0.6  |
| PCS / CTN                    | 12   |

%1 Without lunch bag. %2 With lunch bag.



### STAINLESS LUNCH JAR

3-IN-1 LUNCH JAR SET. LARGE ENOUGH TO FIT AN ENTIRE MEAL TO KEEP YOU SATISIFIED.



ARL-18 □ (MC) Matt Clear 4971860033278 ■ (BD) Matt Black 4971860033261

3 Cups of Rice MICROWAVE OVEN SAFE JAR, SIDE DISH, SOUP CONTAINER (EXCEPT LID)



### ARL-F18

■ ⟨B⟩ Black 4971860033285

3 Cups of Rice

MICROWAVE OVEN SAFE JAR, SIDE DISH, SOUP CONTAINER (EXCEPT LID)

WITH LUNCH BAG

GREAT SOLUTION FOR PACKING A WIDE VARIETY OF FOOD. STORES LARGE CAPACITY OF SOUP. (UP TO 0.47L)



AWL-20

3 Cups of Rice MICROWAVE OVEN SAFE JAR, SIDE DISH, SOUP CONTAINER (EXCEPT LID)

■ 〈AK〉 Navy 4971860032752

| Product                      |  | Stainless Lunch Jar                    |  |
|------------------------------|--|--|--|
| Model No.                    | ARL-18                                 | ARL-F18                                | AWL-20                                 |
| Capacity (L)                 | JAR/0.6<br>SOUP/0.28<br>SIDE DISH/0.43 | JAR/0.6<br>SOUP/0.28<br>SIDE DISH/0.43 | JAR/0.6<br>SOUP/0.47<br>SIDE DISH/0.43 |
| Hot Retention (6 hrs)        | 68℃/154°F                              | 68°C/154°F                             | 70°C/158°F                             |
| Product Size/ W x D x H (cm) | 15.2×13.6×21.8                         | 15.2×13.6×21.8 ※1                      | 15.2×13.6×23.8                         |
| Product W.t. (kg)            | 0.97                                   | 1.12 **2                               | 1.0                                    |
| Case Size/ W x D x H (cm)    | 15.2×13.9×22.6                         | 16.7×16.7×24.1                         | 15.2×13.9×24.6                         |
| Case W.t. (kg)               | 1.09                                   | 1.24                                   | 1.13                                   |
| PCS / CTN                    | 12                                     | 12                                     | 12                                     |

<sup>※1</sup> Without lunch bag. 

※2 With lunch bag.

LUNCH JAR 36 FOOD JAR · LUNCH JAR

**KEEPER** 



### **KEEPER**

PORTABLE WATER JUG, COOLER AND DISPENSER FOR THE WHOLE GROUP. IDEAL FOR CAMPING, PICNICS, AND SPORTING EVENTS.



■ (SL) Silver 4971860032165

HOT MADE IN JAPAN INC-60 6.1<sub>L</sub>

















■ (SL) Silver 4971860032189

# NEW

BUILT WITH ANTI-MICROBIAL TECHNOLOGY. ALSO SUITABLE FOR STORING SPORTS DRINKS OR ALKALINE IONIZED WATER.

STAINLESS STEEL KEEPER

### NEW

INS-60K

6.1L



нот `


COLD JAPAN





**NEW** 





8.1<sub>L</sub>

INS-80K

COLD



Made of stainless steel inner tank. Suitable for sports drinks or alkaline ionized water

Stainless steel inner tank

### 2–Way tap With foldable foot

### **DOUBLE TAP**

LARGE CAPACITY WITH DOUBLE TAP TYPE.



 Stainless steel inner tank 2–Way tap



INS-W100



■ (H) Grev 4971860032424



2 taps available. Convenient to dispense water at the same time.



Use the cup holder to store the stacked paper cups.

## STAINLESS STEEL KEEPER

LARGE CAPACITY TYPE FOR COMMERCIAL USE. HYDRATES THE ENTIRE TEAM AND BEATS SUMMER HEAT.



IDS-120S 12L

IDS-150S

• 2–Way tap

■ (XA) Stainless 4971860561788

■ ⟨XA⟩ Stainless 4971860562785

15L

● Body • inner tank made of Stainless steel



HOT MADE IN JAPAN

HOT (MADE IN JAPAI



■ ⟨XA⟩ Stainless 4971860566783

■ Body · inner tank made of Stainless steel

IDS-W150

• 2-Way tap

Double taps



Water level indicator on the wall of the tank to

easily confirm the amount filled.

Compatible with

BASE FOR IDS MODEL ST-300

■ (B) Black 4971860030161

Dispense water by pressing the lever. You can also control

dispensed by controlling

the amount of water

the pressing force.

## **DOUBLE-TAP KEEPER**

DOUBLE-TAP DESIGN AND CUP HOLDER FOR FASTER HYDRATION.













Use the cup holder to store the stacked paper cups.

Dispense water by pressing the lever. You may also control the amount of water with the

pressing force.

 Aluminum inner tank 2 Way Tap

■ (AH) Silver 4971860030918

| LD | MADE<br>IN<br>JAPAN |  |
|----|---------------------|--|
| LD | JAPAN               |  |


|   | Cup holder    |     |
|---|---------------|-----|
| • | With foldable | foo |

|                              | 17               | / 11 1 1 1           |                  | - II - II         | / 141 1 1 1         |
|------------------------------|------------------|----------------------|------------------|-------------------|---------------------|
| Product                      | Kee              | per (with aluminum t | ank)             | Double Tap Keeper | with aluminum tank) |
| Model No.                    | INC-60           | INC-80               | INC-100          | INW-80            | INW-100             |
| Capacity (L)                 | 6.1              | 8.1                  | 9.5              | 8.1               | 9.5                 |
| Hot Retention (6 hrs)        | 70°C/158°F       | 72°C/162°F           | 72℃/162°F        | 72°C/162°F        | 72°C/162°F          |
| Cold Retention (6 hrs)       | 10°C/50°F        | 9°C/48°F             | 8°C/46°F         | 9°C/48°F          | 8℃/46°F             |
| Mouth Diameter (cm)          | 14.8             | 14.8                 | 14.8             | 14.8              | 14.8                |
| Product Size/ W x D x H (cm) | 24.5×27.6×27.5 % | 24.5×27.6×33.3 ※     | 24.5×27.6×36.4 % | 24.5×25.4×33.3 %  | 24.5×25.4×36.4 %    |
| Product W.t. (kg)            | 1.4              | 1.6                  | 1.7              | 1.66              | 1.78                |
| Case Size/ W x D x H (cm)    | 25.0×25.0×28.4   | 25.0×25.0×33.9       | 25.0×25.0×37.5   | 27.0×25.0×34.1    | 27.0×25.0×37.7      |
| Case W.t. (kg)               | 1.68             | 1.88                 | 2.1              | 1.97              | 2.18                |
| PCS / CTN                    | 8                | 8                    | 8                | 8                 | 8                   |

※ Product size measured with foot folded.

### Stainless Steel Keeper Product Double Tap Keeper Stainless Steel Keeper ( Large Capacity) Model No. INS-60K INS-80K INS-100K INS-W100 IDS-120S 12.0 Capacity (L) Hot Retention (6 hrs) Cold Retention (6 hrs) 10°C/50°F 9°C/48°F 8°C/46°F 8℃/46°F 9°C/48°F 9°C/48°F 9°C/48°F Mouth Diameter (cm) 14.8 14.8 14.8 14.8 23.7 23.7 23.7 Product Size/ W x D x H (cm) 25.0×28.8×27.5 25.0×28.8×33.3 25.0×28.8×36.4 25.0×28.8×36.4 31.5×33.0×40.4 31.5×33.0×47.1 31.5×33.0×47.1 5.7×25.7×37. Case Size/ W x D x H (cm) 25.7×25.7×28.4 25.7×25.7×33. 7.0×25.0×38.3 30.5×29.5×47.4 Case W.t. (kg) PCS / CTN

НОТ COLD



### HANDY POT

### STYLISH HANDY POT WITH PLASTIC BODY.





Light Purple <LPU>





Golden Black <GBK>

Golden White <GWH>

JP-100





No.138-Blue

CEP-10



| Handy Pot     |   |  |
|---------------|---|--|
| JP-100 CEP-10 |   |  |
| 1.0           | 1.0                                       |  |
| 68°C/154°F    | 68℃/154°F                                 |  |
| 12            | 24  |  |
| 12.0          | 22.0                                      |  |
| 0.080         | 0.124                                     |  |
|               | JP-100<br>1.0<br>68°C/154°F<br>12<br>12.0 |  |

### **HANDY POT**

### CIT SERIES WITH MULTIPLE DESIGN OPTIONS.



**CIT-100** No.138-Blue



No.138-Blue



CIW-160 No.138-Blue 1.6L HOT COLD



CIT-190 No.138-Blue



### OTHER DESIGN OPTIONS FOR CIT MODEL:







AIT-100

1.0L HOT MADE IN JAPAN













AIW-160





| Product                  |           |            |                  | Hand       | y Pot     |            |                  |            |
|--------------------------|-----------|------------|------------------|------------|-----------|------------|------------------|------------|
| Model No.                | CIT-100   | CIT-130    | C <b>I</b> W-160 | CIT-190    | AIT-100   | AIT-130    | A <b>I</b> W-160 | AIT-190    |
| Capacity (L)             | 1.0       | 1.3        | 1.6              | 1.9        | 1.0       | 1.3        | 1.6              | 1.9        |
| Hot Retention (10 hrs)   | 68℃/154°F | 70°C/158°F | 72°C/161°F       | 73°C/163°F | 68℃/154°F | 70°C/158°F | 72°C/161°F       | 73°C/163°F |
| PCS / CTN                | 12        | 12         | 12               | 12         | 12        | 12         | 12               | 12         |
| Gross Weight (kg)        | 12.0      | 13.0       | 15.0             | 17.0       | 12.0      | 14.0       | 16.0             | 17.0       |
| Measurement (cbm/carton) | 0.073     | 0.082      | 0.104            | 0.112      | 0.075     | 0.084      | 0.106            | 0.114      |

### HANDY POT

STAINLESS STEEL CASING DESIGN.

### PARA DESIGN









SOCIAL DESIGN









**CAP-1000SJ** 









| Product                  |            | Handy Pot  |            |            |  |  |
|--------------------------|------------|------------|------------|------------|--|--|
| Model No.                | CAP-1000SJ | CAP-1300SJ | CAP-1600SJ | CAP-1900SJ |  |  |
| Capacity (L)             | 1.0        | 1.3        | 1.6        | 1.9        |  |  |
| Hot Retention (10 hrs)   | 68°C/154°F | 70°C/158°F | 72°C/161°F | 73°C/163°F |  |  |
| PCS / CTN                | 12         | 12         | 12         | 12         |  |  |
| Gross Weight (kg)        | 15.0       | 16.0       | 19.0       | 20.0       |  |  |
| Measurement (cbm/carton) | 0.083      | 0.090      | 0.114      | 0.124      |  |  |

### AIR POT

NON-ELECTRIC WITH TWO DIFFERENT WATER DISPENSING MECHANISMS. PUSH & LEVER TYPE.













No.138-Blue

**FP-19/NH (PUSH TYPE)** 



| Air Pot                                    |  |  |  |
|--|--|--|--|
| FP-19/NH (PUSH TYPE)   FL-19/NHL (LEVER TY |  |  |  |
| 1.9  | 1.9  |  |  |
| 73°C/163°F                                 | 73℃/163°F  |  |  |
| 6  | 6  |  |  |
| 12.0                                       | 12.0   |  |  |
| 0.097                                      | 0.097  |  |  |
|  | FP-19/NH (PUSH TYPE)<br>1.9<br>73°C/163°F<br>6<br>12.0 |  |  |

### AIR POT

NON-ELECTRIC WITH TWO DIFFERENT WATER DISPENSING MECHANISMS. PUSH & LEVER TYPE.









NLVIT-19 Lever Type Air Pot is also available.

**NPHIT-19 (PUSH TYPE)** 





| Product                  | Air Pot              |                       |  |  |
|--------------------------|----------------------|-----------------------|--|--|
| Model No.                | NPHIT-19 (PUSH TYPE) | NLVIT-19 (LEVER TYPE) |  |  |
| Capacity (L)             | 1.9                  | 1.9                   |  |  |
| Hot Retention (10 hrs)   | 73°C/163°F           | 73°C/163°F            |  |  |
| PCS / CTN                | 6                    | 6                     |  |  |
| Gross Weight (kg)        | 10.0                 | 10.0                  |  |  |
| Measurement (cbm/carton) | 0.078                | 0.078                 |  |  |

### AIR POT

STAINLESS STEEL CASING DESIGN. EASY TO DISPENSE WITH SIMPLE MECHANISM.

















MPP-22S

Easy to clean with detachable lid.

No.501 Brown

| Product                  | Air Pot (Push Type) |           |
|--------------------------|---------------------|-----------|
| Model No.                | MPP-22S             | MPP-30S   |
| Capacity (L)             | 2.2                 | 3.0       |
| Hot Retention (10 hrs)   | 76°C/169°F          | 78℃/172°F |
| PCS / CTN                | 6                   | 6         |
| Gross Weight (kg)        | 12.0                | 13.0      |
| Measurement (cbm/carton) | 0.098               | 0.105     |